ELSEVIER

Neuroscience Letters 288 (2000) 249–252

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 288

Acarin, L., González, B., Castellano, B., Oral administration of the anti-inflammatory substance triflusal results in the downregulation of constitutive transcription factor NF-κB in the postnatal rat brain, 41
Adachi, A., see Izawa, S., 33
Adachi, N., Lei, B., Soutani, M., Arai, T., Different roles of neuronal and endothelial nitric oxide synthases on ischemic nitric oxide production in gerbil striatum, 151
Agid, Y., see Ransmayr, G., 195
Aihara, Y., see Hasegawa, H., 17
Allen, R.H., see Sponne, I.E., 191
Anthony, T.L., see Zheng, Z.L., 231
Arai, T., see Adachi, N., 151
Arnfred, S., Chen, A.C.N., Eder, D., Glenthøj, B., Hemmingsen, R., Proprioceptive evoked potentials in man: cerebral responses to changing weight loads on the hand, 111
Asami, S., see Irie, M., 13

Back, S.K., see Hong, S.K., 147
Ballesteros, J., Maeztu, A.I., Callado, L.F., Gutiérrez, M., García-Sevilla, J.A., Meana, J.J., I_2-Imidazoline receptors and monoamine oxidase B enzyme sites in human brain: covariation with age, 135
Barbé, F.M., see Sponne, I.E., 191
Barettino, D., see Climent, E., 53
Barrallo, A., see Rodriguez, R.E., 207
Bartolini, A., see Malmberg-Aiello, P., 1
Becerra, L., see Tracey, I., 159
Benoit, J.-P., see Gouhier, C., 71
Besnard, J.-C., see Gouhier, C., 71
Beyer, T.F., see Stover, J.F., 25
Bhojak, T.J., DeKosky, S.T., Ganguli, M., Kamboh, M.I., Genetic polymorphisms in the cathespin D and interleukin-6 genes and the risk of Alzheimer's disease, 21
Blum, D., see Seegers, H.V., 241
Bodard, S., see Gouhier, C., 71
Borsook, D., see Tracey, I., 159
Bowen, K.K., see Miletic, V., 199
Bredt, D.S., see Lehrer-Graiwer, J.E., 107
Breiter, H., see Tracey, I., 159

Callado, L.F., see Ballesteros, J., 135
Cardile, V., Pavone, A., Renis, M., Russo, A., Perciavalle, V., Biological effects of tiagabine on primary cortical astrocyte cultures of rat, 49
Carlier, P.R., see Han, Y.-F., 95
Carta, G., see Nava, F., 228
Castellano, B., see Acarin, L., 41
Chabot-Fletcher, M., see Irving, E.A., 45
Chalon, S., see Gouhier, C., 71
Chang, I., see Tracey, I., 159
Chaouloff, F., see Martin, C., 246
Chen, A.C.N., see Arnfred, S., 111
Chen, P.M.Y., see Han, Y.-F., 95
Cheng, S.-B., see Kuchiiwa, S., 219
Cheon, M.-A., see Jhoo, W.-K., 76
Cho, K.-K., see Kang, W.S., 143
Choi, C.R., see Kang, W.S., 143
Choi, R.C.Y., see Wan, D.C.C., 81
Christensen, J.R.C., see Golanov, E.V., 183
Chung, W., see Han, Y.-F., 95
Cicinelli, P., Traversa, R., Oliveri, M., Palmieri, M.G., Filippi, M.M., Pasqualetti, P., Rossini, P.M., Intracortical excitatory and inhibitory phenomena to paired transcranial magnetic stimulation in healthy human subjects: differences between the right and left hemisphere, 171
Climent, E., Sancho-Tello, M., Miñana, R., Barettino, D., Guerri, C., Astrocytes in culture express the full-length Trk-B receptor and respond to brain derived neurotrophic factor by changing intracellular calcium levels: effect of ethanol exposure in rats, 53
Collingridge, G.L., see Fitzjohn, S.M., 9

Date, Y., Mondal, M.S., Matsukura, S., Nakazato, M., Distribution of orexin-A and orexin-B (hypocretins) in the rat spinal cord, 87
Davies, C.H., see Fitzjohn, S.M., 9
Davis, A.M., McCarthy, M.M., Developmental increase in ^{3}H-muscimol binding to the γ-aminobutyric $acid_A$ receptor in hypothalamic and limbic areas of the rat: why is the ventromedial nucleus of the hypothalamus an exception?, 223
De Nicola, A.F., see Labombarda, F., 29
DeKosky, S.T., see Bhojak, T.J., 21
Diaz, F.G., see Guyot, L.L., 61
Dickenson, A.H., see Rygh, L.J., 99
Draguhn, A., see Frahm, C., 175
Droesch, S., see Sponne, I.E., 191
Duclos, M., see Martin, C., 246

Eder, D., see Arnfred, S., 111
Engel, D., see Frahm, C., 175

Faucheux, B., see Ransmayr, G., 195
Federspiel, S., see Ransmayr, G., 195
Filippi, M.M., see Cicinelli, P., 171
Firestein, B.L., see Lehrer-Graiwer, J.E., 107
Fitzjohn, S.M., Morton, R.A., Kuenzi, F., Davies, C.H., Seabrook, G.R., Collingridge, G.L., Similar levels of long-term potentiation in amyloid precursor protein -null and wild-type mice in the CA1 region of picrotoxin treated slices, 9
Fowler, C.J., see Hedin, H.L.M., 203
Frahm, C., Engel, D., Piechotta, A., Heinemann, U., Draguhn, A., Presence

PII: S0304-3940(00)01220-9

of γ-aminobutyric acid transporter mRNA in interneurons and principal cells of rat hippocampus, 175
Funahashi, M., see Izawa, S., 33

Gaire, D., see Sponne, I.E., 191
Ganguli, M., see Bhojak, T.J., 21
García-Sevilla, J.A., see Ballesteros, J., 135
Garcia-Malvar, F., see Rodriguez, R.E., 207
Gibbons, M., see Irving, E.A., 45
Glenthøj, B., see Arnfred, S., 111
Gluckman, P.D., see Lai, M., 66
Golanov, E.V., Christensen, J.R.C., Reis, D.J., The medullary cerebrovascular vasodilator area mediates cerebrovascular vasodilation and electroencephalogram synchronization elicited from cerebellar fastigial nucleus in Sprague–Dawley rats, 183
González, R.G., see Tracey, I., 159
González, B., see Acarin, L., 41
Gonzalez, S., see Labombarda, F., 29
Gonzalez-Sarmiento, R., see Rodriguez, R.E., 207
Gouhier, C., Chalon, S., Venier-Julienne, M.-C., Bodard, S., Benoit, J.-P., Besnard, J.-C., Guilloteau, D., Neuroprotection of nerve growth factor-loaded microspheres on the D2 dopaminergic receptor positive-striatal neurones in quinolinic acid-lesioned rats: a quantitative autoradiographic assessment with iodobenzamide, 71
Grillon, E., see Seegers, H.V., 241
Guennoun, R., see Labombarda, F., 29
Guerri, C., see Climent, E., 53
Guilloteau, D., see Gouhier, C., 71
Gutiérrez, M., see Ballesteros, J., 135
Guyot, L.L., Diaz, F.G., O'Regan, M.H., Ren, J., Phillis, J.W., The effect of intravenous insulin on accumulation of excitotoxic and other amino acids in the ischemic rat cerebral cortex, 61

Hadingham, S.J., see Irving, E.A., 45
Han, J.W., see Kang, W.S., 143
Han, Y.-F., Wu, D.-C., Xiao, X.-Q., Chen, P.M.Y., Chung, W., Lee, N.T.K., Pang, Y.-P., Carlier, P.R., Protection against ischemic injury in primary cultured astrocytes of mouse cerebral cortex by *bis*(7)-tacrine, a novel anti-Alzheimer's agent, 95
Handa, R.J., see Price Jr., R.H., 115
Hanesch, U., see McDougall, J.J., 123
Hasegawa, H., Yazawa, T., Tanaka, H., Yasumatsu, M., Otokawa, M., Aihara, Y., Effects of ambient light on body temperature regulation in resting and exercising rats, 17
Hauw, J.-J., see Ransmayr, G., 195
Hayashi, Y., see Muramoto, T., 179
Haynes, L.W., see Nava, F., 228
Hedin, H.L.M., Fowler, C.J., Effects of sodium azide on the secretion of soluble amyloid-β precursor protein and the accumulation of β-amyloid (1–40) in cultured chick neurons, 203
Heese, K., Nagai, Y., Sawada, T., Induction of rat L-phosphoserine phosphatase by amyloid-β (1–41) is inhibited by interleukin-11, 37
Heinemann, U., see Frahm, C., 175
Hemmingsen, R., see Arnfred, S., 111
Henin, D., see Ransmayr, G., 195
Hibberd, C.J., see Lai, M., 66
Hironaka, N., Niki, H., Effects of *N*-methyl-D-aspartate receptor subunit antagonists on regulation of susceptibility to audiogenic seizures in rats, 139
Hirsch, E.C., see Ransmayr, G., 195
Hodge Jr., C.J., see Nguyen, T.T., 5
Hong, S.K., Na, H.S., Ko, K.H., Back, S.K., Sung, B., Yoo, D.J., Role of signals from the dorsal root ganglion in neuropathic pain in a rat model, 147

Inoue, K., see Izawa, S., 33
Ipponi, A., see Malmberg-Aiello, P., 1
Irie, M., Asami, S., Nagata, S., Miyata, M., Kasai, H., Classical conditioning of oxidative DNA damage in rats, 13
Irving, E.A., Hadingham, S.J., Roberts, J., Gibbons, M., Chabot-Fletcher, M., Roshak, A., Parsons, A.A., Decreased nuclear factor-κB DNA binding activity following permanent focal cerebral ischaemia in the rat, 45
Izawa, S., Inoue, K., Adachi, A., Funahashi, M., Activity of neurons in the nucleus of the solitary tract of rats: effect of osmotic and mechanical stimuli, 33

Jenkins, L., see Tracey, I., 159
Jhoo, W.-K., Shin, E.-J., Lee, Y.-H., Cheon, M.-A., Oh, K.-W., Kang, S.-Y., Lee, C., Yi, B.-C., Kim, H.-C., Dual effects of dextromethorphan on cocaine-induced conditioned place preference in mice, 76
Ji, Y.-P., see Zhang, Y.-Q., 91
Jo, Y.-H., see Kang, W.S., 143
Jonas, S., see Quartermain, D., 155
Jung, J., see Lee, Y.-S., 57

Kaang, B.-K., see Lee, Y.-S., 57
Kamboh, M.I., see Bhojak, T.J., 21
Kaneko, T., see Wang, D., 187
Kang, S.-Y., see Jhoo, W.-K., 76
Kang, W.S., Lee, W.K., Seo, M.-S., Kim, J.K., Han, J.W., Moon, Y.W., Cho, K.-K., Kim, M.J., Lee, K.-H., Kim, Y.-S., Jo, Y.-H., Choi, C.R., Cellular distribution of isozymes of protein kinase C in septal olfactory epithelium of mice, 143
Kasai, H., see Irie, M., 13
Kaufmann, W., see Ransmayr, G., 195
Kikuchi, H., see Satoh, T., 163
Kim, H.-C., see Jhoo, W.-K., 76
Kim, J.K., see Kang, W.S., 143
Kim, M.J., see Kang, W.S., 143
Kim, Y.-S., see Kang, W.S., 143
Kimoto-Kinoshita, S., Nishida, S., Tomura, T.T., Decrease of endothelial nitric oxide synthase in stroke-prone spontaneously hypertensive rat cerebral cortex, 103
Kitamoto, N., see Muramoto, T., 179
Kitamoto, T., see Muramoto, T., 179
Ko, K.H., see Hong, S.K., 147
Kontinen, V.K., see Rygh, L.J., 99
Kreulen, D.L., see Zheng, Z.L., 231
Krzywkowski, P., see Patrick, C.B., 211
Kubis, N., see Ransmayr, G., 195
Kuchiiwa, S., Cheng, S.-B., Kuchiiwa, T., Morphological distinction between vasodilator and secretomotor neurons in the pterygopalatine ganglion of the cat, 219
Kuchiiwa, T., see Kuchiiwa, S., 219
Kuenzi, F., see Fitzjohn, S.M., 9
Kutomi, T., see Muramoto, T., 179

Labombarda, F., Guennoun, R., Gonzalez, S., Roig, P., Lima, A., Schumacher, M., De Nicola, A.F., Immunocytochemical evidence for a progesterone receptor in neurons and glial cells of the rat spinal cord, 29

Lai, M., Hibberd, C.J., Gluckman, P.D., Seckl, J.R., Reduced expression of insulin-like growth factor 1 messenger RNA in the hippocampus of aged rats, 66
Lambert, D.A., see Sponne, I.E., 191
Lee, C., see Jhoo, W.-K., 76
Lee, J.-A., see Lee, Y.-S., 57
Lee, K.-H., see Kang, W.S., 143
Lee, N.T.K., see Han, Y.-F., 95
Lee, W.K., see Kang, W.S., 143
Lee, Y.-H., see Jhoo, W.-K., 76
Lee, Y.-S., Lee, J.-A., Jung, J., Oh, U., Kaang, B.-K., The cAMP-dependent kinase pathway does not sensitize the cloned vanilloid receptor type 1 expressed in *Xenopus* oocytes or *Aplysia* neurons, 57
Lehrer-Graiwer, J.E., Firestein, B.L., Bredt, D.S., Nitric oxide mediated induction of cytochrome *c* oxidase mRNA and protein in a mouse macrophage cell line, 107
Lei, B., see Adachi, N., 151
Li, J.-L., see Wang, D., 187
Li, Y.-Q., see Wang, D., 187
Li, Y.-s., see Quartermain, D., 155
Lima, A., see Labombarda, F., 29

Ma, Q.-P., Tian, L., Woolf, C.J., Resection of sciatic nerve re-triggers central sprouting of A-fibre primary afferents in the rat, 215
Maeztu, A.I., see Ballesteros, J., 135
Maffiuletti, N.A., Martin, A., Van Hoecke, J., Schieppati, M., The relative contribution to the plantar-flexor torque of the soleus motor units activated by the H reflex and M response in humans, 127
Malmberg-Aiello, P., Ipponi, A., Bartolini, A., Schunack, W., Antiamnesic effect of metoprine and of selective histamine H_1 receptor agonists in a modified mouse passive avoidance test, 1
Manier, G., see Martin, C., 246
Martin, A., see Maffiuletti, N.A., 127
Martin, C., Duclos, M., Mormède, P., Manier, G., Chaouloff, F., Hippocampal and striatal [^{3}H]5-HT reuptake under acute stressors in two rat strains differing for their emotivity, 246
Matsukura, S., see Date, Y., 87
McCarthy, M.M., see Davis, A.M., 223
McDougall, J.J., Pawlak, M., Hanesch, U., Schmidt, R.F., Peripheral modulation of rat knee joint afferent mechanosensitivity by nociceptin/orphanin FQ, 123
McFadyen, I.J., see Rodriguez, R.E., 207
Meana, J.J., see Ballesteros, J., 135
Mei, J., see Zhang, Y.-Q., 91
Miñana, R., see Climent, E., 53
Miletic, G., see Miletic, V., 199
Miletic, V., Bowen, K.K., Miletic, G., Loose ligation of the rat sciatic nerve is accompanied by changes in the subcellular content of protein kinase C beta II and gamma in the spinal dorsal horn, 199
Miyata, M., see Irie, M., 13
Mizuno, N., see Wang, D., 187
Mondal, M.S., see Date, Y., 87
Moon, Y.W., see Kang, W.S., 143
Mormède, P., see Martin, C., 246
Morton, R.A., see Fitzjohn, S.M., 9
Muramoto, T., Tanaka, T., Kitamoto, N., Sano, C., Hayashi, Y., Kutomi, T., Yutani, C., Kitamoto, T., Analyses of Gerstmann–Straussler syndrome with 102Leu219Lys using monoclonal antibodies that specifically detect human prion protein with 219Glu, 179
Murphy, E.J., see Patrick, C.B., 211

Na, H.S., see Hong, S.K., 147
Nagai, Y., see Heese, K., 37
Nagata, I., see Satoh, T., 163
Nagata, S., see Irie, M., 13
Nakatsuka, D., see Satoh, T., 163
Nakazato, M., see Date, Y., 87
Namura, S., see Satoh, T., 163
Nava, F., Carta, G., Haynes, L.W., Lipopolysaccharide increases arginine-vasopressin release from rat suprachiasmatic nucleus slice cultures, 228
Neumaier, J.F., see Zhukovskaya, N.L., 236
Nguyen, T.T., Yamamoto, T., Stevens, R.T., Hodge Jr., C.J., Reorganization of adult rat barrel cortex intrinsic signals following kainic acid induced central lesion, 5
Nicolas, J.-P., see Sponne, I.E., 191
Niki, H., see Hironaka, N., 139
Nishida, S., see Kimoto-Kinoshita, S., 103
Nishizawa, Y., see Ohgoh, M., 167
Nomura, S., see Wang, D., 187
Nowakowski, C., see Ransmayr, G., 195

O'Connor, J.J., see Saleshando, G., 119
Ogura, H., see Ohgoh, M., 167
Oh, K.-W., see Jhoo, W.-K., 76
Oh, U., see Lee, Y.-S., 57
Ohgoh, M., Yamazaki, K., Ogura, H., Nishizawa, Y., Tanaka, I., Apoptotic cell death of cerebellar granule neurons in genetically ataxia (*ax*) mice, 167
Oliveri, M., see Cicinelli, P., 171
O'Regan, M.H., see Guyot, L.L., 61
Otokawa, M., see Hasegawa, H., 17

Palmieri, M.G., see Cicinelli, P., 171
Pang, Y.-P., see Han, Y.-F., 95
Parsons, A.A., see Irving, E.A., 45
Pasqualetti, P., see Cicinelli, P., 171
Patrick, C.B., Krzywkowski, P., Ramassamy, C., Poirier, J., Rapoport, S.I., Murphy, E.J., Phospholipase A_2 activity is decreased selectively in the hippocampus of aged apolipoprotein E deficient mice, 211
Pavone, A., see Cardile, V., 49
Pawlak, M., see McDougall, J.J., 123
Perciavalle, V., see Cardile, V., 49
Phillis, J.W., see Guyot, L.L., 61
Piechotta, A., see Frahm, C., 175
Poirier, J., see Patrick, C.B., 211
Price Jr., R.H., Handa, R.J., Expression of estrogen receptor-beta protein and mRNA in the cerebellum of the rat, 115

Quartermain, D., Li, Y.-s., Jonas, S., Enoxaparin, a low molecular weight heparin decreases infarct size and improves sensorimotor function in a rat model of focal cerebral ischemia, 155

Ramassamy, C., see Patrick, C.B., 211
Ransmayr, G., Faucheux, B., Nowakowski, C., Kubis, N., Federspiel, S., Kaufmann, W., Henin, D., Hauw, J.-J., Agid, Y., Hirsch, E.C., Age-related changes of neuronal counts in the human pedunculopontine nucleus, 195
Rapoport, S.I., see Patrick, C.B., 211
Reis, D.J., see Golanov, E.V., 183
Ren, J., see Guyot, L.L., 61
Renis, M., see Cardile, V., 49

Roberts, J., see Irving, E.A., 45
Rodriguez, R.E., Barrallo, A., Garcia-Malvar, F., McFadyen, I.J., Gonzalez-Sarmiento, R., Traynor, J.R., Characterization of ZFOR1, a putative delta-opioid receptor from the teleost zebrafish (*Danio rerio*), 207
Roig, P., see Labombarda, F., 29
Roshak, A., see Irving, E.A., 45
Rossini, P.M., see Cicinelli, P., 171
Russo, A., see Cardile, V., 49
Rygh, L.J., Kontinen, V.K., Suzuki, R., Dickenson, A.H., 99

Saleshando, G., O'Connor, J.J., SB203580, the p37 mitogen-activated protein kinase inhibitor blocks the inhibitory effect of β-amyloid on long-term potentiation in the rat hippocampus, 119
Sancho-Tello, M., see Climent, E., 53
Sano, C., see Muramoto, T., 179
Satoh, T., Nakatsuka, D., Watanabe, Y., Nagata, I., Kikuchi, H., Namura, S., Neuroprotection by MAPK/ERK kinase inhibition with U0126 against oxidative stress in rats, 163
Sawada, T., see Heese, K., 37
Schöning, B., see Stover, J.F., 25
Schieppati, M., see Maffiuletti, N.A., 127
Schmidt, R.F., see McDougall, J.J., 123
Schumacher, M., see Labombarda, F., 29
Schunack, W., see Malmberg-Aiello, P., 1
Seabrook, G.R., see Fitzjohn, S.M., 9
Seckl, J.R., see Lai, M., 66
Seegers, H.V., Grillon, E., Trioullier, Y., Väth, A., Verna, J.-M., Blum, D., Nuclear factor-κB activation in permanent intraluminal focal cerebral ischemia in the rat, 241
Seo, K., Someya, G., Postnatal development of central nociceptive mechanisms modulating jaw muscle activity in the rat, 131
Seo, M.-S., see Kang, W.S., 143
Shimamura, K., see Zheng, Z.L., 231
Shin, E.-J., see Jhoo, W.-K., 76
Siow, N.L., see Wan, D.C.C., 81
Someya, G., see Seo, K., 131
Soutani, M., see Adachi, N., 151
Sponne, I.E., Gaire, D., Stabler, S.P., Droesch, S., Barbé, F.M., Allen, R.H., Lambert, D.A., Nicolas, J.-P., Inhibition of vitamin B12 metabolism by OH-cobalamin c-lactam in rat oligodendrocytes in culture: a model for studying neuropathy due to vitamin B12 deficiency, 191
Stabler, S.P., see Sponne, I.E., 191
Stevens, R.T., see Nguyen, T.T., 5
Stover, J.F., Schöning, B., Beyer, T.F., Woiciechowsky, C., Unterberg, A.W., Temporal profile of cerebrospinal fluid glutamate, interleukin-6, and tumor necrosis factor-α in relation to brain edema and contusion following controlled cortical impact injury in rats, 25
Sung, B., see Hong, S.K., 147
Suzuki, R., see Rygh, L.J., 99

Tanaka, H., see Hasegawa, H., 17
Tanaka, I., see Ohgoh, M., 167
Tanaka, T., see Muramoto, T., 179
Tian, L., see Ma, Q.-P., 215
Tomura, T.T., see Kimoto-Kinoshita, S., 103
Tracey, I., Becerra, L., Chang, I., Breiter, H., Jenkins, L., Borsook, D., González, R.G., Noxious hot and cold stimulation produce common patterns of brain activation in humans: a functional magnetic resonance imaging study, 159
Traversa, R., see Cicinelli, P., 171
Traynor, J.R., see Rodriguez, R.E., 207
Trioullier, Y., see Seegers, H.V., 241
Tsim, K.W.K., see Wan, D.C.C., 81

Unterberg, A.W., see Stover, J.F., 25

Väth, A., see Seegers, H.V., 241
Van Hoecke, J., see Maffiuletti, N.A., 127
Venier-Julienne, M.-C., see Gouhier, C., 71
Verna, J.-M., see Seegers, H.V., 241

Wan, D.C.C., Choi, R.C.Y., Siow, N.L., Tsim, K.W.K., The promoter of human acetylcholinesterase is activated by a cyclic adenosine 3′,5′-monophosphate-dependent pathway in cultured NG108–15 neuroblastoma cells, 81
Wang, D., Li, Y.-Q., Li, J.-L., Kaneko, T., Nomura, S., Mizuno, N., γ-Aminobutyric acid- and glycine-immunoreactive neurons postsynaptic to substance P-immunoreactive axon terminals in the superficial layers of the rat medullary dorsal horn, 187
Watanabe, Y., see Satoh, T., 163
Woiciechowsky, C., see Stover, J.F., 25
Woolf, C.J., see Ma, Q.-P., 215
Wu, D.-C., see Han, Y.-F., 95

Xiao, X.-Q., see Han, Y.-F., 95

Yamamoto, T., see Nguyen, T.T., 5
Yamazaki, K., see Ohgoh, M., 167
Yasumatsu, M., see Hasegawa, H., 17
Yazawa, T., see Hasegawa, H., 17
Yi, B.-C., see Jhoo, W.-K., 76
Yoo, D.J., see Hong, S.K., 147
Yutani, C., see Muramoto, T., 179

Zhang, Y.-Q., Ji, Y.-P., Mei, J., Effects of cholinergic agents on spontaneous activity of nucleus basalis magnocellularis neurons in different age rats, 91
Zheng, Z.L., Shimamura, K., Anthony, T.L., Kreulen, D.L., Guanethidine evokes vasodilatation in guinea pig mesenteric artery by acting on sensory nerves, 231
Zhukovskaya, N.L., Neumaier, J.F., Clozapine downregulates 5-hydroxytryptamine$_6$ (5-HT$_6$) and upregulates 5-HT$_7$ receptors in HeLa cells, 236